

## CROISEE DS

Chariot double réglable pour menuiserie aluminium

POM = matériau thermoplastique




## Caractéristiques

## Références

Référence	Profil	Serie	Finition galet	Gorge galet	Modele
2202303N	Aliplast	Infinity	POM	R3	BR standard
2202283N	Aliplast	Slide	POM	150°	BR standard
2202222N	Aliplast	Slide	Inox	R3	BR standard
2202307N	Alu K	67 CL 32	POM	R3	BR standard
2202315N	Alu K	67 CL 32	POM	150°	BR standard
2202295N	Alu K	Regate 28	POM	150°	BR standard
2202203N	Kawneer	Kasting	POM	R3	BR standard
2202014N	Kawneer	Kasting	Inox	R3	BR standard
2202227N	Profils Systèmes	Satin Road	POM	R3	BR standard
2202301N	Profils Systèmes	Cuzco V28	POM	150°	BR standard
2202313N	Profils Systèmes	Cuzco V32	Inox	R3	BR standard
2202194N	Profils Systèmes	Toundra	POM	150°	BR standard
2202228N	Profils Systèmes	Satin Road	Inox	R3	BR standard
2202038N	Reynaers	85	Inox	-	BR standard
2202312N	Reynaers	CP68	POM	R3	BR standard
2202187N	Reynaers	CP50	POM	R3	BR standard
2202219N	Reynaers	CP50	Inox	R3	BR standard
2202020N	Schuco	SC 24 (alu)	POM	-	BR standard
2202191N	Schuco	S28	POM	R4	BR standard
2202225N	Schuco	S28	Inox	R4	BR standard
2202292N	Schuco	S32	POM	R4	BR standard

Référence	Profil	Serie	Finition galet	Gorge galet	Modele
2202299N	Sepalumatic	3700	Inox	R2.2	BR standard
2202238N	Sepalumatic	3200	Inox	R2.2	BR standard
2202213N	Sepalumatic	3100	Inox	R2.2	BR standard
2202216N	Sepalumatic	3100	POM	R2.2	BR standard
2202306N	Sepalumatic	3100 renforcé	Inox	R2.2	BR standard
2202305N	Sepalumatic	3700	POM	R2.2	BR fixation auto.
2202297N	Sepalumatic	3700	POM	R2.2	BR standard
2202026N	Technal	GK	POM	150°	BR standard
2202286N	Technal	Soleal	POM	R4	BR standard
2202231N	Wicona	WS 65-32	Inox	R3	BR standard
2202241N	Wicona	WS 65-32	POM	R3	BR standard


# Gorge galet



R2.2

R3

R4



150°